Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	3	"20040165025".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/09/20 13:24
S3	10	"1074894"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:26
S4	2	"6408156".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:26
S5	1	"5.0627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:29
S6	29	"0.5331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:29
S7	29	"0.5331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:37
S8	1.	(acceptance adj width) same (line adj width) and (writing adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:07
S9	693	(maximum near3 misalignment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/09/20 13:40
S10	54	(maximum near3 misalignment) and (line near2 width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:42
S11	1	(maximum near3 misalignment) and (line near2 width) and (acceptance near2 width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:41

		,				
S12		(acceptance adj width) same (line adj width) and (density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:32
S13	0	resolution same (light adj receiving adj diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:32
S14	4386	resolution same (optical same (detector detection sensor)) and alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:33
S15	987	(density resolution) same (optical same (detector detection sensor)) same alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2005/09/20 14:34
S16	624	(density resolution) same (optical same (detector detection sensor)) same alignment	USPAT	OR	ON	2005/09/21 09:36
S24	197	lexmark.as. and alignment	US-PGPUB; USPAT	OR	ON	2005/09/20 15:13
S25	16	lexmark.as. and alignment and patrick	US-PGPUB; USPAT	OR	ON	2005/09/20 15:14
S29	13415	(alignment same (detector detection sensor)) and aperture	US-PGPUB; USPAT	OR	ON	2005/09/20 15:16
S30	25	(alignment same (detector detection sensor)) and (aperture adj resolution)	US-PGPUB; USPAT	OR	ON	2005/09/20 15:16
S31	25	S30 not S25	US-PGPUB; USPAT	OR	ON	2005/09/21 08:42
S32	1	"20040165025".pn. and misalignment	US-PGPUB; USPAT	OR	ON	2005/09/21 08:42
S33	1	(acceptance adj width) same (line adj width) and (resolution density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:07
S34	2040	(resolution) same (line adj width) and (density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:07

S35	3	"5627649".pn.	US-PGPUB;	OR	ON	2005/09/21 09:42
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S36	624	(density resolution) same (optical same (detector detection sensor)) same alignment	USPAT	OR	ON	2005/09/21 09:43
S37	0	S36 and 347/19.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:42
S38	21	S36 and 347/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:43
S39	35	S36 and "347".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:43
S40	987	(density resolution) same (optical same (detector detection sensor)) same alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:43
S41	53	S40 and "347".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:36
S42	72	(light adj receiving adj diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:42
S43	35989	(photodiode photoreceptor (photo adj detector)) and diameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:43
S44	1064	(photodiode photoreceptor (photo adj detector)) and diameter and (line adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:43

						<u></u>
S45	24	((photodiode photoreceptor (photo adj detector)) same diameter) same (line adj width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:43
S46	24	S45 not S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:53
S47	26	(("6665503") or ("6470161") or ("6415129") or ("6546219") or ("6505022") or ("6360065") or ("6519428") or ("6342910") or ("6249304") or ("5623330") or ("5761570") or ("5630195") or ("5384628") or ("5438401") or ("5659843") or ("5729353") or ("5627649") or ("6778797") or ("6771389") or ("6778797") or ("6788915") or ("6813463") or ("6782227") or ("6901234")).PN.	US-PGPUB; USPAT	OR	OFF	2005/09/21 11:25
S48	1	S47 and alignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:25